



LOAD BEARING CARS

serie JUNIOR - JR





stamp



detail of the ceiling ONDA



Load Bearing Cars **serie JUNIOR - JR**

Technical features

- **WALLS:** plasticized sheet steel / brushed stainless steel / rigidized stainless steel
- **SKIRTINGS:** technical features or stainless steel (optional)
- **HANDRAIL:** polished stainless steel (optional)
- **MIRROR:** natural colour "mirror safe", (optional)
- **CEILING:** white paint
- **LIGHTING:** opal false ceiling "ONDA" or with "SPOT"
- **FLOOR:** vinyl tyles
- **PUSH BUTTONS:** on the car operating panel in plasticized sheet steel or in stainless steel (optional)
- **DIMENSIONS mm:** 800x1200x2130 h. - 950x1300x2130 h. - 1100x1400x2130 h.
- **CAPACITY:** 320 kg /4p. - 480 kg /6p. - 630 kg /8p.



serie SENIOR - SR

LOAD BEARING CARS





Load Bearing Cars **serie SENIOR - SR**

Technical features

- WALLS: plasticized sheet steel / brushed stainless steel / rigidized stainless steel
- SKIRTINGS: plasticized sheet steel or stainless steel (optional)
- HANDRAIL: polished stainless steel (optional)
- MIRROR: natural colour „mirror safe“ (optional)
- CEILING: white paint
- LIGHTING: opal "false ceiling" with neon or with "spot"
- FLOOR: vinyl tyles
- PUSH BUTTONS: on the car operating panel in plasticized sheet steel or in stainless steel (optional)
- DIMENSIONS mm: according to customer needs
- CAPACITY: max. 630 kg. / 8 persons



MATRIX

serie

LINED CARS





stamp



lined version




panoramic version

Lined Cars **serie MATRIX**

Technical features

- WALLS:
PANORAMIC VERSION stratified safety glass, framed
- WALLS:
LINED VERSION plastic laminate or other materials (optional)
- SKIRTINGS: brushed stainless steel or rigidized stainless steel (optional)
- HANDRAIL: brushed stainless steel or other materials (optional)
- MIRROR: stratified, natural colour (optional)
- CEILING: white paint
- LIGHTING: false ceiling "with bubbles" or "poker" (optional)
- FLOOR: linoleum or others (optional)
- PUSH BUTTONS: on the car operating panel of brushed or rigidized stainless steel
- DIMENSIONS mm: according to customer needs
- CAPACITY: unlimited



LINED CARS **serie TEN**





stamp



lined version




lined ceiling



Lined Cars **serie TEN**

Technical features

- **WALLS:**
PANORAMIC VERSION stratified safety glass, framed
- **WALLS:**
LINED VERSION plastic laminate or other materials (optional)
- **SKIRTINGS:** brushed stainless steel or rigidized stainless steel (optional)
- **HANDRAIL:** stainless steel or other materials (optional)
- **MIRROR:** stratified, natural colour (optional)
- **CEILING:** plastic laminate (optional)
- **LIGHTING:** false ceiling with "spot" or "side diffuser"
- **FLOOR:** linoleum, or wood (optional) or other materials
- **PUSH BUTTONS:** on the car operating panel of brushed stainless steel or in rigidized stainless steel
- **DIMENSIONS mm:** according to customer needs
- **CAPACITY:** unlimited



stamp

ULTRALIGHT
FOR MODERNIZATIONS


detail of ceiling
and mirror



Load Bearing Cars **serie TREND**

Technical features

- WALLS: pre-painted smooth aluminium
- SKIRTINGS: aluminium (same colour as walls)
- HANDRAIL: polished stainless steel (optional)
- MIRROR: natural colour "mirror safe" (optional)
- CEILING: white painted
- LIGHTING: "side diffuser" in aluminium (same colour as walls)
- FLOOR: vinyl tiles
- PUSH BUTTONS: on the car operating panel in aluminium
- DIMENSIONS mm: according to customer needs
- CAPACITY: max. 630 kg. / 8 persons



serie CLASSIC

LINED CARS





Lined Cars **serie CLASSIC**

Technical features

- WALLS: lined with wood essence: walnut / cherry / oak
- SKIRTINGS: solid wood
- HANDRAIL: polished brass
- MIRROR: stratified natural colour (optional)
- CEILING: smooth painted or lined with plastic laminate
- LIGHTING: diffused in "wood cornice" or direct with "spot"
- FLOOR: linoleum or other materials
- PUSH BUTTONS: on the horizontal car operating panel in wood
- DIMENSIONS mm: according to customer needs
- CAPACITY: max. 1000 kg. / 13 persons






3W version




2W version

Panoramic Cars **serie VISION**

- **WALLS:**
2W VERSION with 2 walls in hardened stratified safety glass (frameless)
- **WALLS:**
3W VERSION with 3 walls in hardened stratified safety glass (frameless)
- **SKIRTINGS:** stainless steel or other materials
- **HANDRAIL:** stainless steel or other materials
- **CEILING:** tempered stratified safety glass
- **LIGHTING:** with halogen spots on stainless steel cornice
- **FLOOR:** linoleum or other materials (optional)
- **PUSH BUTTONS:** on the car operating panel in stainless steel
- **DIMENSION mm:** according to customer needs
- **CAPACITY:** max. 1000 kg. / 13 persons





lighting
"POKER"



lighting "DM"

Lined cars **serie LINK**

Technical features

- WALLS: plastic laminate / rigidized stainless steel (optional)
- SKIRTINGS: plastified sheet steel or stainless steel (optional)
- HANDRAIL: stainless steel (optional)
- MIRROR: colourless, "mirror safe" (optional)
- CEILING: white painted
- LIGHTING: suspended ceiling "DM" with central arch and side cornices or "POKER"
- FLOOR: vinyl tiles or other materials (optional)
- PUSH BUTTONS: on the car operating panel of plasticized sheet steel or in stainless steel (optional)
- DUMMY PANEL: plastified sheet steel or stainless steel
- DIMENSIONS mm: ISO or according to customer needs (optional)
- CAPACITY: max. 630 kg. / 8 persons



HYDRAULIC CAR FRAMES



stamp

Detail of the
bottom console



PRODUCT RANGE

HYDRAULIC CAR FRAMES	Type	Model	Maximum Load (*)
	cantilever indirect acting (2:1)	AHT 6	1300 Kg.
		AHT 8	1700 Kg.
		AHT 11	2000 Kg.
		AHT 13	2400 Kg.
	cantilever indirect acting (2:1)	LT 120 E	2800 Kg.
		LT 180 E	3600 Kg.
		LT 250 E	5200 Kg.
		LT 300 E	6000 Kg.
	cantilever central direct acting (1:1)	AHD 6 - 8	from 1300 Kg to 1700 Kg.
AHD 11 - 13		from 2000 Kg to 2400 Kg.	
cantilever side direct acting (1:1)	AHDL 6 - 8	from 1300 Kg to 1700 Kg.	
	AHDL 11 - 13	from 2000 Kg to 2400 Kg.	
	LD 120 E	2800 Kg.	
	LD 180 E	3600 Kg.	
	LD 220 E	4200 Kg.	
	LD 250 E	5200 Kg.	
LD 300 E	6000 Kg.		

* to choose the correct model please refer to the Technical Catalogue.




TRACTION CAR FRAMES





stamp

top view car frame
model AED



CWT frame with fillers

PRODUCT RANGE

TRACTION CAR FRAMES	Type of roping	Model	Maximum Load (*)
	(1 : 1)	AED 6	1 100 Kg.
		AED 8	1 500 Kg.
		AED 11	2 200 Kg.
		AED 13	3 000 Kg.
	(2 : 1)	AET 6 - 8 US	from 1 100 Kg. to 1 500 Kg.
		AET 11 - 13 US	from 2 200 Kg. to 3 000 Kg.
		AET 11 - 13 TP	from 2 200 Kg. to 3 000 Kg.
		AET 18 - 21 US	from 4 000 Kg. to 4 800 Kg.
		AET 27 TP	6 000 Kg.

* to choose the correct model please refer to the Technical Catalogue.



serie GONG

PANORAMIC CARS



NEW
patent pending

stamp

a new "LED" technology

- ✓ Long Life
- ✓ Very small dimensions
- ✓ High lighting power
- ✓ Very low consumption
- ✓ Low heat emission

peculiar lighting system by "led"



The essential and innovative line with an exclusive design are the main qualities contributing to make the car GONG a very prestigious lift component.

GONG is being conceived to provide both the elegance of the glass and an up-to-date technology by means of innovative accessories.

Panoramic cars serie **GONG**

Technical features

- **WALLS:** curved car panels in clear glass (without frames) fixed by four connecting bars at car corners
- **MAIN STRUCTURE:** shot-peened stainless steel rings
- **HANDRAIL:** round, in shot-peened stainless steel
- **CEILING:** clear glass (without frames)
- **LIGHTING:** new "Led" technology, Led fitted in the upper and lower ring
- **FLOOR:** maple wood with a central inlay of ebony wood
- **CAR OPERATING PANEL:** dual-light buttons assembled on a stainless steel pipe
- **DIMENSIONS :** max. diameter 2000 mm.



serie UJK

HOISTING CARS





stamp



detail on car
bumpers



front view of the car

Hoisting Cars **serie ULK**

Technical features

- **WALLS:**
LOAD BEARING VERSION prime finished steel sheet panels or other materials (options) - as shown in the picture.
- **WALLS:**
LINED VERSIONS reinforced painted steel sheet panels and lined with stainless steel or other materials (options)
- **BUMPERS:** rubber or wood
- **CEILING:** smooth paint, orange-peel version, white
- **LIGHTING:** ceiling light built into the ceiling
- **FLOOR:** bubbled rubber , wood or anti-slip steel sheet (options)
- **CAR OPERATING PANEL:** fitted in car wall
- **DIMENSION mm:** according to customers requirements
- **CAPACITY:** unlimited




serie COMBO

COMBINED SOLUTIONS



FROM CUSTOMIZED
COMPONENTS TO
THE "COMBO"
SOLUTIONS




In this project we have realized a package which will enable to optimize any kind of transport as well as all other aspects pertaining to order definition and its follow-up.

All components combinations are possible.

We have no limit regarding lift capacity and lift type

Combined Solutions **serie COMBO**



- ✓ car frames
- ✓ guides + brackets
- ✓ traction cables
- ✓ cars
- ✓ car door operator
- ✓ landing doors





stamp

PATENTED



SAFETY DEVICES

- ✓ EN81 certified door lock
- ✓ signal of failed door panels closing
- ✓ signal of failed door lock closing
- ✓ door panels forced closing device
- ✓ emergency key
- ✓ door panels re-opening in case of obstacles during door closing phase
- ✓ timed blockage of door opening phase in case of obstacles

Technical Features and Adjustments

- ✓ separated adjustments on door opening and closing speeds
- ✓ adjustment on door panels traction force
- ✓ pre-arrangement and management of INPUT signal for photocells and light curtains
- ✓ parameters storage in the CPU even in case of electrical failure / black out / break down
- ✓ Assembled and pre-adjusted
- ✓ supply voltage 220 V A.C.
- ✓ pre-arrangement for emergency door opening in case of electrical failure / black out / break down (24 V.c.c.)

MyDomo, the ideal solution for platform lifts. Operated by a new, compact and more reliable belt-driven motorization which has undergone a test of more than a million movements.

Two Panels Motorized Door **serie MyDOMO**

- Clear Opening mm 700 / 750 / 800 / 850 / 900
- Clear Height 2000 mm
- Overall dimensions:

Side frames		Upper frame		Door panels
width	depth	width	depth	thickness
100 mm	60 mm	105 mm	67 mm	40 mm



car accessories





stamp

CAR ACCESSORIES



Lighting device "onda"



Car Accessories **GIOTTO**

Three accessories to be combined one with the other, to replace the standard ones, whenever the environment where the lift is installed requires more elegance and appealing solution.

✓ **The car operating panel** is the most visible and attractive component of a car. In mirror stainless steel, already equipped with front push buttons and accessories, this operating panel with its new design becomes the main feature of the car.

✓ **The handrail**, in mirror stainless steel, conveys sensations such as solidity, strength and safety.

✓ **The suspended ceiling** is a light diffuser with a complete new design: harmonious lines which complete this exclusive range of accessories.